

Updates on Monkeypox (now known as MPX), Meningitis and COVID-19 **September 8, 2022**

MPX

MPX (pronounced "em-pox") is a virus that can cause skin lesions either in local site such as genitals or over the body. It can also cause fever, fatigue, and enlarged lymph nodes. It is spread by close contact, including direct skin-to-skin contact. Most cases are in men who have sex with men, but anyone can get MPX. San Francisco has limited doses of the Jynneos MPX vaccine for post-exposure prophylaxis vaccination, which means for people who have already been exposed or possibly exposed to a person who has MPX. Visit this SFDPH website for more information, including who is eligible for vaccination: https://sf.gov/information/monkeypox.

As supply dictates, first and second doses of MPX vaccine are available by appointment at healthcare providers and clinics throughout the city,

Second dose of the Jynneos vaccine are available to people who are at least 28 days from receiving their first dose. People should seek the second dose from their usual health care provider, regardless of where their initial dose was obtained.

The walk-in vaccination clinic is located at Zuckerberg SF General Learning Center (ZSFG clinic), 1001 Potrero Avenue, Building 30, 2nd Floor, San Francisco. This site will continue as a walk-in clinic for both first and second doses. Visit https://sf.gov/information/monkeypox-vaccine daily for updated clinic hours and vaccine supply. No appointment is needed.

The following locations have supplies of Jynneos vaccine by appointment only:

- Adult Immunization and Travel Clinic (AITC) patients: please make an online appointment at www.TravelClinicSF.org
- Updated
- SF City Clinic: call 628-217-6600 Strut patients: call 628-212-8038
- Kaiser Permanente patients and non-patients: call 415-833-9999 •
- SF Health Network patients: call your provider or health center directly
- UCSF patients and non-patients: call 415-502-3566

If you do not have a provider, or have difficulty scheduling an appointment, you can be seen at Strut located 470 Castro Street (415-581-1600). Screen regularly for sexually transmitted infections. Syphilis and herpes are much more common than MPX – they appear similar and should be treated too. Here is a link to the SFDPH Frequently Asked Questions: https://sf.gov/information/monkeypox-faq

Additional resources

CDC

•

- New
- Publication: Curran KG, Eberly K, Russell OO, et al. HIV and Sexually Transmitted Infections Among Persons with Monkeypox — Eight U.S. Jurisdictions, May 17–July 22, 2022. MMWR Morb Mortal Wkly Rep 2022;71:1141-1147. DOI: http://dx.doi.org/10.15585/mmwr.mm7136a1.



- Guidance: Interim Guidance for Prevention and Treatment of Monkeypox in Persons with HIV Infection — United States, August 2022. MMWR Morb Mortal Wkly Rep. ePub: 5 August 2022. DOI: <u>http://dx.doi.org/10.15585/mmwr.mm7132e4</u>
- Guidance: Social Gatherings, Safer Sex and Monkeypox. CDC. https://www.cdc.gov/poxvirus/monkeypox/sexualhealth/index.html (PDF - English, Spanish)

SFDPH & CDPH

- San Francisco Department of Public Health
 - General information on Monkeypox <u>https://sf.gov/information/monkeypox</u>
 - Vaccine Availability, Eligibility and Sites: <u>https://sf.gov/information/monkeypox-vaccine</u>
 - MPX Frequently Asked Questions: <u>https://sf.gov/information/monkeypox-faq</u>
- Health Advisory: San Francisco Department of Public Health Intradermal Jynneos Issued August 18, 2022.
- Guidance: Monkeypox (MPX) Info & Guidance for SF Healthcare Providers-<u>http://www.sfcdcp.org/mpxhcp</u>. Last updated: August 24, 2022.
- CDPH Monkeypox
 <u>https://www.cdph.ca.gov/Programs/CID/DCDC/Pages/Monkeypox.aspx</u>

GTZ-SF Consortium

- San Francisco AIDS Foundation https://www.sfaf.org/monkeypox/
- <u>Video</u> and <u>Slides</u> from 8/23/22 GTZ-SF Town Hall on MPX
- Questions & Answers about Monkeypox. GTZ-SF. <u>https://gettingtozerosf.org/wp-content/uploads/2022/07/FAQ-about-Monkeypox-11JUL22.pdf</u>

UCSF

 Update on Global Monkeypox Outbreak. CFAR. <u>https://gettingtozerosf.org/wp-content/uploads/2022/08/CFAR-Update-on-MPX-August-2022.pdf</u>

Meningitis

Talk to your provider to be sure you are up to date on your meningitis vaccine. A few bullet points:

- Guidance: Meningococcal Disease Among Gay, Bisexual and Other Men Who Have Sex with Men: What You Need to Know (including where to get a vaccine in SF), visit link: <u>here</u>
 - Health Advisory: San Francisco Department of Public Health issued recommendations for SF clinicians, linked here: <u>https://www.sfcdcp.org/wpcontent/uploads/2022/05/Advisory-MenACWY-MSM-FINAL-2022.05.18-1.pdf</u>

New

Updated

2



COVID-19

San Francisco continues to experience high rates of COVID infection. This is what you can do to protect yourself and others:

- 1) Keep up to date with vaccination which means 2 boosters if you are living with HIV.
- 2) Mask when you are in indoor gatherings with persons who may have COVID.
- 3) Take a COVID test when you have been exposed to someone with active COVID or when you have symptoms.
- 4) Access treatment if you have COVID.
- 5) Isolate as per guidelines if you have active COVID (10 days or 5 days if rapid test negative).

Additional resources

- Visit the City & County of San Francisco's Coronavirus (COVID-19) website here sf.org – for news and links to services and resources.
- <u>Changes Affecting People with HIV</u> (8/8/22) in NIH COVID-19 Treatment Guidelines, revised guidelines <u>here.</u>
- Frequently Asked Questions (FAQ) You've tested POSITIVE for COVID-19 (coronavirus). <u>Now what?</u>
- Considerations regarding COVID-19 for people living with HIV. Please check the website often -<u>https://gettingtozerosf.org/</u>.

Updated